



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Site Remediation Program

401 E. State Street, 6th Floor

Mail Code 401-06 P. O. Box 420

Trenton, New Jersey 08625-0420

Tel. #(609) 292-1250

Fax # (609) 984-6514

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

Honeywell Inc.
Attn: Ms. Maria Kaouris, Project Manager
PO Box 1057
Morristown, NJ 07962-1057

Date: July 3, 2012

Approval

Re: Hudson County Chromate - Allied
Study Area 5 (Site 117 – Ryerson Steel Site)
Jersey City, Hudson County
SRP PI# G000008789
Site 117 PI# 008809
Activity Number Reference: RPC050001
Case Name/Number: 070212_SA5_117_SGSR_Approval

Dear Ms. Maria Kaouris:

The New Jersey Department of Environmental Protection (Department) has completed review of the *Shallow Groundwater Summary Report* (dated September 2011; cover letter dated September 30, 2012). The Department has determined that the document is in compliance with the Technical Requirements for Site Remediation, N.J.A.C. 7:26E, and other applicable requirements. The Department hereby approves the document, effective the date of this letter.

The Department requests Honeywell provide copies of this letter to the appropriate parties. If you have any questions regarding this matter, please contact me at (609) 292-2173.

Sincerely,

David S. Doyle, Case Manager
Site Remediation Program

cc: Thomas J. Cozzi, NJDEP

John Morris, Honeywell.