



THE POWER OF CONNECTED

**Health, Safety, Environmental, Product Stewardship and Sustainability**

115 Tabor Road, 4-D4  
Morris Plains, New Jersey 07950  
[www.honeywell.com](http://www.honeywell.com)

April 25, 2017

Mr. Timothy Boyle  
Superintendent  
City of Bayonne Department of Public Works  
630 Avenue C  
Bayonne, NJ 07002

**Subject: Annual Update Regarding Utilities on Former Morris Canal and New Jersey City University West Side Campus Jersey City, New Jersey**

Dear Mr. Boyle:

Honeywell is providing this annual notice update regarding site conditions and activities at the New Jersey City University (NJDEP Sites 90 and 184) and the Former Morris Canal (NJDEP Site 153) Properties as part of its focus on preventing any subsurface work from disturbing the environmental remedies implemented at these sites, and in compliance with the requirements of two separate Consent Decrees. These are the Consent Decree Regarding Sites 079 and 153 South, Paragraph 81, and the Consent Decree Regarding Remediation of the New Jersey City University (NJCU) Redevelopment Area (which includes Site 153 North), Paragraph 104 (the Consent Decrees).

Under the referenced Consent Decrees, Honeywell must provide an annual update notice regarding Site conditions and activities related to the utilities in the area of the Morris Canal and NJCU Sites. The City of Bayonne Department of Public Works (DPW) has a sanitary sewer force main, manholes and associated structures located along Route 440 in Jersey City, within the Morris Canal and in close proximity to the NJCU Site. The previous annual notice was provided by Honeywell in a letter dated April 21, 2016. This letter covers calendar year 2016.

Honeywell completed remedial actions for chromium impacts at the Former Morris Canal and NJCU sites that are subject to the Consent Decrees. The remedial actions, approved by the New Jersey Department of Environmental Protection (NJDEP), are summarized below:

**The Former Morris Canal**

This property consists of a narrow strip of land that was originally a part of the Former Morris Canal. The property runs adjacent to the eastern side of Route 440 from Carbon Place to Danforth Avenue (see attached aerial location map). Soils on portions of this property contain hexavalent chromium above New Jersey's most stringent soil guideline of 20 milligrams/kilogram (mg/kg). Utility poles and various utility lines are located on the property.

Remediation at the Former Morris Canal has been implemented as per the requirements of the two Consent Decrees referenced above and consistent with the Sewer Protocol issued by the New Jersey Department of Environmental Protection. In the southern part of the Canal starting north of Danforth Avenue and running approximately 2,525 feet north, just past Home Depot, remediation consisted of either: (a) excavation of the top 3 feet of soil and replacement with clean fill; or (b) replacement of the existing asphalt cap and/or landscaped areas so as to ensure the integrity and protectiveness of these engineering controls. The remedial actions in the southern portion of the Canal were conducted as two separate efforts, one at the end of 2009 and the second in the latter part of 2011.

Remedial actions in the northern part of the Canal, the section adjacent to NJCU, included the installation of a membrane cap and pavement in areas adjacent to the cap. The remedial actions in this section occurred in conjunction with the NJCU remedial actions, which, as per the detail provided below, were completed at the end of 2011.

Honeywell, as the owner of Morris Canal Property has placed a deed restriction on the entire Morris Canal Site. The deed restriction, among other things, requires Honeywell to maintain the integrity of the above remedial measures. The deed notice will be updated following approval of the Remedial Action Report for the Site by NJDEP, to reflect NJDEP's current deed notice format, the completion of remedial actions as well as changes made by Jersey City to Block and Lot numbers.

### **The NJCU West Side Campus**

The NJCU West Side Campus property, located between West Side Avenue and Route 440 (see attached aerial location map), will become the home of New Jersey City University's new "West Side Campus." The West Side Campus will give NJCU expanded academic facilities, including new classrooms, administrative offices and dormitories.

Honeywell and NJCU have worked and continue to work together to coordinate the NJCU West Campus redevelopment with the remedial actions for chromium, implemented between 2010 and 2011. The remedial actions, which were approved by NJDEP and conform with the requirements of the Consent Decree Regarding Remediation of the New Jersey City University, included soil excavation in the area of the Site referred to as the Residential Area of Concern (Residential Area) and capping in the area of the Site referred to as the Commercial Area of Concern (Commercial Area). Soil excavation was conducted to New Jersey's residential soil guideline for hexavalent chromium of 20 mg/kg to a depth of 20 feet in the area of future Buildings 5 and 6, and to a level of 5 mg/kg in the top 4 feet across the Residential Area.

In the Commercial Area, Honeywell installed a state-of-the-art "RCRA type" cap over chromium contaminated soils, consisting of a geosynthetic liner, a drainage layer, and 1 to 2 feet of clean fill, followed by paving and/or stone placement for future use to meet the University's parking needs. In addition to the cap, the remedy included the installation of underground barrier walls to isolate impacted groundwater from clean areas. Site remediation included construction of clean utility corridors for new utilities to be placed above the cap.

The NJDEP issued a Restricted Use No Further Action Letter and Remedial Action Permit for soils in May 2012. NJCU, as the owner of the property, recorded a deed restriction on the Commercial Area that requires the cap to be properly maintained. Honeywell is committed to maintaining the integrity of the cap in compliance with New Jersey law and its obligations under the Consent Decree.

In April 2016, restorations of several planned cap disturbances were completed in the Commercial Area as part of road and utility work associated with NJCU's West Campus development. A Deed Notice Disturbance Report addressing the disturbance and restoration was submitted to the NJDEP on June 20, 2016. Between May and July 2016, there were several planned disturbances of the cap in the Commercial Area for repairs to the shallow groundwater treatment system. A Deed Notice Disturbance Report addressing the disturbances and restoration was submitted by Honeywell to the NJDEP on August 11, 2016.

Honeywell is currently implementing an extension of the previously completed groundwater remedy, which includes the installation of a section of hydraulic barrier wall that will result in the complete closure of the wall, making it easier to monitor the effectiveness of the groundwater remedial action.

The utility maps including as-built drawings associated with the completed remedial actions at both the NJCU and Morris Canal sites were provided with the annual notification letters submitted on April 20, 2012. Updated utility maps including this additional remediation component at NJCU will be provided with the next annual notification letter.

Similarly, updated utility maps will continue to be provided, as needed, based on any changes required following any further remediation in conjunction with sewer repair or replacement.

With regard to any work that the Bayonne Department of Public Works is planning in the future, we ask that you follow the draft Standard Operating Procedure we have been developing jointly. We anticipate finalizing that procedure shortly. You can report any such pending work by calling 855-727-2658, a special number Honeywell has obtained in order to receive such notifications.

As always, we appreciate your cooperation. If you have any questions or would like additional information, please feel free to call me at (973) 455-3302.

Sincerely,



Maria Kaouris  
Remediation Manager

MK:jh/sg

Encl: Aerial Location Map

cc: (electronic copy)  
Joseph Clifford – Amec Foster Wheeler  
Michael Daneker – Arnold & Porter Kaye Scholer LLP  
Jeremy Karpatkin – Arnold & Porter Kaye Scholer LLP  
William Hague – Honeywell  
John Morris – Honeywell  
Robert Wayne – LeClairRyan  
Aaron Aska - New Jersey City University  
Michael D'Aquila – New Jersey City University  
Al Ramey – New Jersey City University  
Michael Leahy – SUEZ North America

